


Delivering science and technology
to protect our nation
and promote world stability



Operated by Los Alamos National Security, LLC for the U.S. Department of Energy's NNSA

Experimental Design to Study Criticality Effects of Plutonium Aging

IER-301



**Theresa Cutler, Travis Grove,
David Hayes, Mark Mitchell,
Bill Myers, Rene Sanchez,
Jessie Walker, Bob
Margevicius**

ANS Winter Meeting
October 2017


Overview

- **Experimental Objectives**
- **Background and Previous Work**
- **Preliminary Design**
- **Final Design**




Experiment Objectives

- **Examine the effects of plutonium aging on criticality**
 - It is known that the isotopic composition of plutonium changes with age, due to radioactive decay
 - $\text{Pu-241} \rightarrow \text{Am-241}$
 - He-3 ingrowth
- **The effects of criticality have yet to be examined in a systematic approach**
- **NEED integral data**



Previous Work

- **Metallurgical Effects have been investigated over the past few decades**
 - Much information has been obtained
- **He-3 atoms formed from alpha decay**
 - These atoms migrate toward each other forming sub-micron-size bubbles
 - Become effective “hardening agents” in the plutonium
 - Well documented in the last two decades
- **Accounted for in benchmark evaluations**
 - ZPPR critical benchmark experiments (1969→1980)
 - BeRP ball fundamental physics benchmark experiments (1980→2009)






Preliminary Design

- **Design an integral experiment to compare new and aged plutonium**
- **Two approaches considered**
 - **Approach 1:** Design and build a completely new set of critical experiment parts to perform the comparison
 - **Approach 2:** Utilize currently available critical parts to perform small sample reactivity worth comparisons
 - Both options utilize the existing critical assemblies at NCERC



Preliminary Design: Approach 1

- Manufacture 6" OD discs, matching current NCERC inventory and available reflectors (Be, DU, Fe, ...)
- 2 sets
 - One with "new" isotopics
 - One with "aged" isotopics
- All cladding would be of the same material type and thickness



Preliminary Design: Approach 2


- Utilize currently available critical parts to perform small sample reactivity worth comparisons
 - Flattop glory hole pieces
 - BeRP ball
 - Thor core pieces
- Used by R. Sanchez* to estimate the critical mass of Np-237 using Flattop



BeRP ball



Flattop




Thor


**SPEC-MET-FAST-003, Neptunium-237 and Highly Enriched Uranium Replacement Measurements Performed Using Flattop, 1999-09-30.*

Final Design

- **Small Sample glory hole replacement measurements in Flattop**
 - Chosen through systematic evaluation in MCNP and feasibility
 - Future work will likely build upon this with a new full Flattop Pu core
- **Use similar protocol for determining reactivity worth and critical mass to Sanchez Np-237 work in 1990s using the Flattop core**
- **Considered both HEU and Pu core**
 - Pu core selected due to higher worth of glory hole pieces




Elevation View



Final Design: Overview

- Glory hole loading with “new” and “old” Pu
- The Flattop Pu core and glory hole pieces were manufactured in ~1957 at Los Alamos
- Diameter of Flattop Pu core glory hole is 0.5". All pieces used fit tightly
- New pieces, 0.5" OD x 0.5" L, will be manufactured at Los Alamos
- New pieces will be included in the configuration and compared to reactivity results from old configuration
- Locations selected based on highest reactivity worth



Glory Hole Loadings and Associated Reactivity for Flat-top Pu core

Final Design: Isotopics

- **Manufactured in ~1957, δ -phase plutonium, stabilized in gallium**
- **Approximate density: 15.83 g/cm³**
- **5 mil thick nickel cladding on all pieces**
 - New pieces will have 10 mil thick Invar cladding
- **Computationally decayed, using MISC, to 2016**
- **No burnup assumed**
- **No density change effects considered in decay, although acknowledged it decreased slightly from He-3 ingrowth**

Initial Isotopic Composition



Nuclide	Weight Percent
²³⁹ Pu	93.8
²⁴⁰ Pu	4.8
²⁴¹ Pu	0.3
⁶⁹ Ga	0.6611
⁷¹ Ga	0.4389

Approximate 2016 Decayed Isotopic Composition

Nuclide	Weight Fraction
⁶⁹ Ga	6.611E-03
⁷¹ Ga	4.389E-03
²⁰⁷ Pb	4.889E-15
²²⁷ Ac	1.105E-14
²²⁹ Th	8.384E-14
²³¹ Th	6.140E-15
²³² Th	2.352E-10
²³¹ Pa	4.165E-11
²³³ Pa	5.807E-12
²³³ U	1.237E-09
²³⁵ U	1.510E-03
²³⁶ U	2.834E-04
²³⁷ U	5.895E-12
²³⁷ Np	1.719E-04
²³⁹ Pu	9.365E-01
²⁴⁰ Pu	4.771E-02
²⁴¹ Pu	1.890E-04
²⁴¹ Am	2.636E-03


Final Design: MCNP®6 Simulations

- **Detailed Flattop model for HEU core, adapted to the Pu core**
- **Pu core based on detailed engineering drawings**
 - Different than those used in previous benchmarks with Flattop
- **All blues, orange, and reds represent natural uranium; teal represents plutonium.**



Final Design: MCNP®6 Simulations

- Close up view of Pu core with the proposed glory hole loading
- Blue and purple boxes represent the pieces that will be replaced with new ones
- All blues, orange, and reds represent natural uranium; teal represents plutonium.
- HEU and blank pieces also considered in the same locations





Final Design: MCNP®6 Simulations

MCNP6 keff and Reactivity Results for Expected Replacement Measurements

configuration	keff	delta_keff	reactivity (cents)	delta reactivity (cents)
Base (all old Pu)	1.00269	0	96.85	
New Pu 1	1.00259	0.00010	93.26	3.59
New Pu 2	1.00243	0.00026	87.51	9.34
HEU 1	1.00159	0.00110	57.31	39.54
HEU 2	1.00061	0.00208	22.01	74.84
Empty can 1	0.99923	0.00346	-27.82	124.67
Empty can 2	0.99663	0.00606	-122.07	218.92



Delta Reactivity (cents) for All Considered Replacement Measurements




Component Development

- **Canning**
 - Invar (36% Ni, 64% Fe alloy)
 - 15 mil thick, sides and ends
 - AuSn braised bond (25 microns)
 - Bonding process has been perfected for glovebox operations



Summary

- Knowledge gaps exist on criticality behavior of plutonium as it ages
- An integral experiment has been designed to measure the reactivity worth of new and 50+ year old plutonium
- Experiment based on proven concept with Np-237 in Flattop



This work was supported by the DOE Nuclear Criticality Safety Program, funded and managed by the National Nuclear Security Administration for the Department of Energy.

